Cambridge IGCSE

**Cambridge International Examinations**
Cambridge International General Certificate of Secondary Education

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| CANDIDATE NAME | | | | | | | | | |
| CENTRE NUMBER | | | | | | CANDIDATE NUMBER | | | | |

**ADDITIONAL MATHEMATICS** **0606/12**

Paper 1 **May/June 2015**

**2 hours**

Candidates answer on the Question Paper.

Additional Materials: Electronic calculator

**READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.
Write in dark blue or black pen.
You may use an HB pencil for any diagrams or graphs.
Do not use staples, paper clips, glue or correction fluid.
DO **NOT** WRITE IN ANY BARCODES.

Answer **all** the questions.
Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place in the case of angles in degrees, unless a different level of accuracy is specified in the question.
The use of an electronic calculator is expected, where appropriate.
You are reminded of the need for clear presentation in your answers.

At the end of the examination, fasten all your work securely together.
The number of marks is given in brackets [ ] at the end of each question or part question.
The total number of marks for this paper is 80.

This document consists of **16** printed pages.

© UCLES 2015

CAMBRIDGE International Examinations

***Mathematical Formulae***

## 1. ALGEBRA

*Quadratic Equation*

For the equation $ax^2 + bx + c = 0$,

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

*Binomial Theorem*

$$(a + b)^n = a^n + \binom{n}{1} a^{n-1} b + \binom{n}{2} a^{n-2} b^2 + \ldots + \binom{n}{r} a^{n-r} b^r + \ldots + b^n,$$

where $n$ is a positive integer and $\binom{n}{r} = \frac{n!}{(n-r)!r!}$

## 2. TRIGONOMETRY

*Identities*

$$\sin^2 A + \cos^2 A = 1$$

$$\sec^2 A = 1 + \tan^2 A$$

$$\operatorname{cosec}^2 A = 1 + \cot^2 A$$

*Formulae for $\Delta ABC$*

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

$$\Delta = \frac{1}{2} bc \sin A$$

© UCLES 2015

**1** Given that the graph of $y = (2k + 5)x^2 + kx + 1$ does not meet the $x$-axis, find the possible values of $k$. [4]

View solution

**2** Show that $\dfrac{\tan\theta + \cot\theta}{\operatorname{cosec}\theta} = \sec\theta$. [4]

View solution

© UCLES 2015

**3** Find the inverse of the matrix $\begin{pmatrix} 4 & 2 \\ 5 & 3 \end{pmatrix}$ and hence solve the simultaneous equations

View solution

$$4x + 2y - 8 = 0,$$
$$5x + 3y - 9 = 0.$$

[5]

**4**




The diagram shows a circle, centre $O$, radius 12 cm. The points $A$, $B$ and $C$ lie on the circumference of this circle such that angle $AOB$ is 1.7 radians and angle $AOC$ is 2.4 radians.

**(i)** Find the area of the shaded region. [4]

View solution

**(ii)** Find the perimeter of the shaded region. [5]

View solution

**5** **(a)** A security code is to be chosen using 6 of the following:

- the letters A, B and C
- the numbers 2, 3 and 5
- the symbols * and $.

None of the above may be used more than once. Find the number of different security codes that may be chosen if

View solution

**(i)** there are no restrictions, [1]

**(ii)** the security code starts with a letter and finishes with a symbol, [2]

View solution

**(iii)** the two symbols are next to each other in the security code. [3]

View solution

© UCLES 2015

**(b)** Two teams, each of 4 students, are to be selected from a class of 8 boys and 6 girls. Find the number of different ways the two teams may be selected if

View solution

**(i)** there are no restrictions, [2]

**(ii)** one team is to contain boys only and the other team is to contain girls only. [2]

View solution

**6** A particle moves in a straight line such that its displacement, $x$ m, from a fixed point $O$ after $t$ s, is given by $x = 10\ln(t^2 + 4) - 4t$.

**(i)** Find the initial displacement of the particle from $O$. [1]

View solution

**(ii)** Find the values of $t$ when the particle is instantaneously at rest. [4]

View solution

© UCLES 2015

**(iii)** Find the value of $t$ when the acceleration of the particle is zero. [5]

View solution

**7**




In the diagram $\overrightarrow{AB} = 4\mathbf{a}$, $\overrightarrow{BC} = \mathbf{b}$ and $\overrightarrow{DC} = 7\mathbf{a}$. The lines $AC$ and $DB$ intersect at the point $X$. Find, in terms of **a** and **b**,

**(i)** $\overrightarrow{DA}$, [1]

View solution

**(ii)** $\overrightarrow{DB}$. [1]

View solution

Given that $\overrightarrow{AX} = \lambda\overrightarrow{AC}$, find, in terms of **a**, **b** and $\lambda$,

**(iii)** $\overrightarrow{AX}$, [1]

View solution

**(iv)** $\overrightarrow{DX}$. [2]

View solution

© UCLES 2015

Given that $\overrightarrow{DX} = \mu\overrightarrow{DB}$,

**(v)** find the value of $\lambda$ and of $\mu$. [4]

View solution

**8** **(i)** Find $\int (10e^{2x} + e^{-2x})\,dx$. [2]

View solution

**(ii)** Hence find $\int_{-k}^{k} (10e^{2x} + e^{-2x})\,dx$ in terms of the constant $k$. [2]

View solution

**(iii)** Given that $\int_{-k}^{k} (10e^{2x} + e^{-2x})\,dx = -60$, show that $11e^{2k} - 11e^{-2k} + 120 = 0$. [2]

View solution

© UCLES 2015

**(iv)** Using a substitution of $y = e^{2k}$ or otherwise, find the value of $k$ in the form $a \ln b$, where $a$ and $b$ are constants. [3]

View solution

**9** A curve has equation $y = 4x + 3\cos 2x$. The normal to the curve at the point where $x = \frac{\pi}{4}$ meets the $x$- and $y$-axes at the points $A$ and $B$ respectively. Find the exact area of the triangle $AOB$, where $O$ is the origin. [8]

View solution

**10** **(a)** Solve $2\cos 3x = \sec 3x$ for $0° \leqslant x \leqslant 120°$. [3]

View solution

**(b)** Solve $3\,\text{cosec}^2 y + 5\cot y - 5 = 0$ for $0° \leqslant y \leqslant 360°$. [5]

View solution

**Question 10(c) is printed on the next page.**

© UCLES 2015

**(c)** Solve $2\sin\left(z+\frac{\pi}{3}\right)=1$ for $0 \leqslant z \leqslant 2\pi$ radians. [4]

View solution

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2015