Cambridge Assessment International Education

Cambridge IGCSE™

CANDIDATE NAME									
CENTRE NUMBER						CANDIDATE NUMBER				

ADDITIONAL MATHEMATICS **0606/21**

Paper 2 **May/June 2021**

2 hours

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [ ].

This document has **16** pages. Any blank pages are indicated.

© UCLES 2021

Mathematical Formulae

1. ALGEBRA

Quadratic Equation

For the equation $ax^2 + bx + c = 0$,

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Binomial Theorem

$$(a+b)^n = a^n + \binom{n}{1}a^{n-1}b + \binom{n}{2}a^{n-2}b^2 + \ldots + \binom{n}{r}a^{n-r}b^r + \ldots + b^n$$

where n is a positive integer and $\binom{n}{r} = \frac{n!}{(n-r)!r!}$

Arithmetic series $u_n = a + (n-1)d$

$$S_n = \frac{1}{2}n(a+l) = \frac{1}{2}n\{2a + (n-1)d\}$$

Geometric series $u_n = ar^{n-1}$

$$S_n = \frac{a(1-r^n)}{1-r} \quad (r \neq 1)$$

$$S_\infty = \frac{a}{1-r} \quad (|r| < 1)$$

2. TRIGONOMETRY

Identities

$$\sin^2 A + \cos^2 A = 1$$
$$\sec^2 A = 1 + \tan^2 A$$
$$\operatorname{cosec}^2 A = 1 + \cot^2 A$$

Formulae for ΔABC

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc\cos A$$

$$\Delta = \frac{1}{2}bc\sin A$$

© UCLES 2021

1 **(a)** Write the expression $x^2 - 6x + 1$ in the form $(x + a)^2 + b$, where a and b are constants. [2]

View solution

(b) Hence write down the coordinates of the minimum point on the curve $y = x^2 - 6x + 1$. [1]

View solution

2 Variables x and y are such that, when $\ln y$ is plotted against $\ln x$, a straight line graph passing through the points (6, 5) and (8, 9) is obtained. Show that $y = e^p x^q$ where p and q are integers. [4]

View solution

© UCLES 2021

3 **(a)** Solve the inequality $|4x-1| > 9$. [3]

View solution

(b) Solve the equation $2x - 11\sqrt{x} + 12 = 0$. [3]

View solution

© UCLES 2021

4 The graph of $y = a + 2\tan bx$, where a and b are constants, passes through the point $(0, -4)$ and has period 480°.

(a) Find the value of a and of b. [3]

View solution

(b) On the axes, sketch the graph of y for values of x between 0° and 480°. [2]

View solution



5 The curves $y = x^2$ and $y^2 = 27x$ intersect at $O(0, 0)$ and at the point A. Find the equation of the perpendicular bisector of the line OA. [8]

View solution

6 Variables x and y are such that $y = e^{\frac{x}{2}} + x\cos 2x$, where x is in radians. Use differentiation to find the approximate change in y as x increases from 1 to $1+h$, where h is small. [6]

View solution

© UCLES 2021

7 Find the exact values of the constant k for which the line $y = 2x + 1$ is a tangent to the curve $y = 4x^2 + kx + k - 2$. [6]

View solution

8 In this question, a, b, c and d are positive constants.

(a) **(i)** It is given that $y = \log_a(x+3) + \log_a(2x-1)$. Explain why x must be greater than $\frac{1}{2}$. [1]

View solution

(ii) Find the exact solution of the equation $\dfrac{\log_a 6}{\log_a(y+3)} = 2$. [3]

View solution

(b) Write the expression $\log_a 9 + (\log_a b)(\log_{\sqrt{b}} 9a)$ in the form $c + d\log_a 9$, where c and d are integers. [4]

View solution

© UCLES 2021

9 A curve is such that $\frac{d^2y}{dx^2} = \sin\left(6x - \frac{\pi}{2}\right)$. Given that $\frac{dy}{dx} = \frac{1}{2}$ at the point $\left(\frac{\pi}{4}, \frac{13\pi}{12}\right)$ on the curve, find the equation of the curve. [7]

View solution

10 Relative to an origin O, the position vectors of the points A, B, C and D are

$$\overrightarrow{OA} = \begin{pmatrix} 6 \\ -5 \end{pmatrix}, \quad \overrightarrow{OB} = \begin{pmatrix} 10 \\ 3 \end{pmatrix}, \quad \overrightarrow{OC} = \begin{pmatrix} x \\ y \end{pmatrix} \text{ and } \overrightarrow{OD} = \begin{pmatrix} 12 \\ 7 \end{pmatrix}.$$

(a) Find the unit vector in the direction of $\overrightarrow{AB}$. [3]

View solution

(b) The point A is the mid-point of BC. Find the value of x and of y. [2]

View solution

(c) The point E lies on OD such that $OE : OD$ is $1 : 1 + \lambda$. Find the value of λ such that $\overrightarrow{BE}$ is parallel to the x-axis. [3]

View solution

© UCLES 2021

11 The 2nd, 8th and 44th terms of an arithmetic progression form the first three terms of a geometric progression. In the arithmetic progression, the first term is 1 and the common difference is positive.

(a) (i) Show that the common difference of the arithmetic progression is 5. [5]

View solution

(ii) Find the sum of the first 20 terms of the arithmetic progression. [2]

View solution

(b) (i) Find the 5th term of the geometric progression. [2]

View solution

(ii) Explain whether or not the sum to infinity of this geometric progression exists. [1]

View solution

12

View solution



The diagram shows part of the curve $y = (9-x)(x-3)$ and the line $y = k-3$, where $k > 3$. The line through the maximum point of the curve, parallel to the y-axis, meets the x-axis at A. The curve meets the x-axis at B, and the line $y = k-3$ meets the curve at the point $C(k,\ k-3)$. Find the area of the shaded region. [9]

Continuation of working space for Question 12.

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

© UCLES 2021