Cambridge Assessment International Education

Cambridge IGCSE™

CANDIDATE NAME									
CENTRE NUMBER						CANDIDATE NUMBER				

ADDITIONAL MATHEMATICS **0606/23**

Paper 2 **May/June 2021**

2 hours

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [ ].

This document has **16** pages. Any blank pages are indicated.

© UCLES 2021

Mathematical Formulae

1. ALGEBRA

Quadratic Equation

For the equation $ax^2 + bx + c = 0$,

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Binomial Theorem

$$(a+b)^n = a^n + \binom{n}{1}a^{n-1}b + \binom{n}{2}a^{n-2}b^2 + \ldots + \binom{n}{r}a^{n-r}b^r + \ldots + b^n$$

where n is a positive integer and $\binom{n}{r} = \frac{n!}{(n-r)!r!}$

Arithmetic series $u_n = a + (n-1)d$

$$S_n = \frac{1}{2}n(a+l) = \frac{1}{2}n\{2a + (n-1)d\}$$

Geometric series $u_n = ar^{n-1}$

$$S_n = \frac{a(1-r^n)}{1-r} \quad (r \neq 1)$$

$$S_\infty = \frac{a}{1-r} \quad (|r| < 1)$$

2. TRIGONOMETRY

Identities

$$\sin^2 A + \cos^2 A = 1$$
$$\sec^2 A = 1 + \tan^2 A$$
$$\operatorname{cosec}^2 A = 1 + \cot^2 A$$

Formulae for ΔABC

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc\cos A$$

$$\Delta = \frac{1}{2}bc\sin A$$

© UCLES 2021

1 DO NOT USE A CALCULATOR IN THIS QUESTION.

Write $\dfrac{4-\sqrt{5}}{7-3\sqrt{5}}$ with a rational denominator, simplifying your answer. [3]

View solution

2 Given that $y = 2(7^{2x}) - 3(7^{x+1}) + 19$, find the value of x when $y = 30$. [4]

View solution

3 **(a)** Write $\dfrac{x(27xy^3)^{\frac{5}{3}}}{\sqrt[4]{81y^5}}$ in the form $3^a \times x^b \times y^c$ where a, b and c are constants. [3]

View solution

(b) **(i)** Find the value of a such that $2\log_a 8 = \dfrac{3}{2}$. [2]

View solution

(ii) Write $\log_{(a^2)} 3a$ as a single logarithm to base a. [2]

View solution

4 Variables x and y are such that $y = \dfrac{\sin x}{\cos x}$. Using differentiation, find the approximate change in y as x increases from $-\dfrac{\pi}{4}$ to $h - \dfrac{\pi}{4}$, where h is small. [4]

View solution

5 **(a)** Solve the inequality $2x^2 - 17x + 21 \leqslant 0$. [3]

View solution

(b) Hence find the area enclosed between the curve $y = 2x^2 - 17x + 21$ and the x-axis. [3]

View solution

© UCLES 2021

6 The polynomial p is given by $\mathrm{p}(x) = 36x^3 - 15x^2 - 2x + 1$.

(a) Show that $x = -0.25$ is a root of the equation $\mathrm{p}(x) = 0$. [1]

View solution

(b) Show that the equation $\mathrm{p}(x) = 0$ has a repeated root. [4]

View solution

7 **(a)** Sketch the graph of the curve $y = \ln(4x - 3)$ on the axes, stating the intercept with the x-axis. [2]

View solution



(b) Find the equation of the tangent to the curve $y = \ln(4x - 3)$ at the point where $x = 2$. [5]

View solution

8 **(a)** **(i)** Find $\int \sin\left(\frac{\phi+\pi}{3}\right)\mathrm{d}\phi$. [2]

View solution

(ii) Find $\int (5\sin^2\theta + 5\cos^2\theta)\,\mathrm{d}\theta$. [2]

View solution

(b) Show that $\int_1^{\mathrm{e}} \left(\left(1+\frac{1}{x}\right)^2 - 1\right)\mathrm{d}x = \frac{3\mathrm{e}-1}{\mathrm{e}}$. [4]

View solution

© UCLES 2021

9 **(a)** The function f is defined, for all real x, by $\mathrm{f}(x) = 13 - 4x - 2x^2$.

(i) Write $\mathrm{f}(x)$ in the form $a + b(x + c)^2$, where a, b and c are constants. [3]

View solution

(ii) Hence write down the range of f. [1]

View solution

(b) The function g is defined, for $x \geqslant 1$, by $\mathrm{g}(x) = \sqrt{x^2 + 2x - 1}$.

View solution

(i) Given that $\mathrm{g}^{-1}(x)$ exists, write down the domain and range of g^{-1}. [2]

(ii) Show that $\mathrm{g}^{-1}(x) = -1 + \sqrt{px^2 + q}$, where p and q are integers. [4]

View solution

© UCLES 2021

10 In this question all lengths are in centimetres.

The volume and curved surface area of a cone of base radius r, height h and sloping edge l are $\frac{1}{3}\pi r^2 h$ and πrl respectively.



The diagram shows a cone of base radius x, height y and sloping edge $\sqrt{x^2+y^2}$. The volume of the cone is 10π.

(a) Find an expression for y in terms of x and show that the curved surface area, S, of the cone is given by $S = \dfrac{\pi\sqrt{x^6+900}}{x}$. [3]

View solution

(b) Given that x can vary and that S has a minimum value, find the exact value of x for which S is a minimum. [5]

View solution

11 **(a)** The first three terms of an arithmetic progression are $\frac{1}{p}$, $\frac{1}{q}$, $-\frac{1}{q}$.

View solution

(i) Show that the common difference can be written as $-\frac{2}{3p}$. [3]

(ii) The 10th term of the progression is $\frac{k}{p}$, where k is a constant. Find the value of k. [2]

View solution

© UCLES 2021

(b) The sum to infinity of a geometric progression is 8. The second term of the progression is $\frac{3}{2}$. Find the two possible values of the common ratio. [5]


View solution

12 A particle moves in a straight line such that its displacement, s metres, from a fixed point O at time t seconds, is given by $s = 2 + t - 2\cos t$, for $t \geqslant 0$.

(a) Find the displacement of the particle from O at the time when it first comes to instantaneous rest. [5]

View solution

(b) Find the time when the particle next comes to rest. [1]

View solution

(c) Find the distance travelled by the particle for $0 \leqslant t \leqslant \frac{3\pi}{2}$. [2]

View solution

© UCLES 2021

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.