Cambridge Assessment International Education

Cambridge IGCSE™

CANDIDATE NAME									
CENTRE NUMBER						CANDIDATE NUMBER				

ADDITIONAL MATHEMATICS **0606/13**

Paper 1 **May/June 2024**

2 hours

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [ ].

This document has **16** pages. Any blank pages are indicated.

© UCLES 2024

Mathematical Formulae

1. ALGEBRA

Quadratic Equation

For the equation $ax^2 + bx + c = 0$,

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Binomial Theorem

$$(a+b)^n = a^n + \binom{n}{1}a^{n-1}b + \binom{n}{2}a^{n-2}b^2 + \ldots + \binom{n}{r}a^{n-r}b^r + \ldots + b^n$$

where n is a positive integer and $\binom{n}{r} = \frac{n!}{(n-r)!r!}$

Arithmetic series $u_n = a + (n-1)d$

$$S_n = \frac{1}{2}n(a+l) = \frac{1}{2}n\{2a + (n-1)d\}$$

Geometric series $u_n = ar^{n-1}$

$$S_n = \frac{a(1-r^n)}{1-r} \quad (r \neq 1)$$

$$S_\infty = \frac{a}{1-r} \quad (|r| < 1)$$

2. TRIGONOMETRY

Identities

$$\sin^2 A + \cos^2 A = 1$$
$$\sec^2 A = 1 + \tan^2 A$$
$$\operatorname{cosec}^2 A = 1 + \cot^2 A$$

Formulae for ΔABC

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc\cos A$$

$$\Delta = \frac{1}{2}bc\sin A$$

© UCLES 2024

1

View solution



The diagram shows the graph of $y = a\sin bx + c$, for $-320° \leqslant x \leqslant 320°$, where a, b and c are constants. Find the values of a, b and c. [3]

2 Solve the equation $3\left(2^{2x+1}\right) - 11\left(2^{x}\right) + 3 = 0$, giving your answers correct to 2 decimal places. [4]

View solution

3 **(a)** Find the coordinates of the stationary points on the curve $y = (2x+1)^2(x-3)$. [4]

View solution

(b) On the axes, sketch the graph of $y = (2x+1)^2(x-3)$, stating the intercepts with the axes. [3]

View solution



(c) Write down the values of k for which the equation $(2x+1)^2(x-3)=k$ has exactly one solution. [2]

View solution

4 Find $\int_0^2 \left(1+e^{2x}\right)^2 dx$, giving your answer in exact form. [5]

View solution

5 When e^{2y} is plotted against x^3, a straight line graph that passes through the points (2, 5) and (6.4, 7.2) is obtained.

(a) Find y in terms of x. [4]

View solution

(b) Find the values of x for which y exists. [2]

View solution

© UCLES 2024

6 It is given that $y = \dfrac{\ln\left(2x^2+1\right)}{x+2}$, $x \neq -2$.

(a) Find $\dfrac{\mathrm{d}y}{\mathrm{d}x}$. [3]

View solution

(b) Given that x increases from 1 to $1+h$, where h is small, find the approximate corresponding change in y. [2]

View solution

(c) When $x = 1$, the rate of change in y is 3 units per second. Find the corresponding rate of change in x. [2]

View solution

© UCLES 2024

7 **(a)** A 6-digit number is to be formed using the digits 0, 1, 2, 3, 4, 5, 6, 7, 8, 9. The 6-digit number cannot start with 0. Each digit can be used at most once in any 6-digit number. Find how many of these 6-digit numbers are divisible by 5. [3]

View solution

(b) The number of combinations of $(n+1)$ objects taken 13 at a time is equal to 16 times the number of combinations of n objects taken 12 at a time. Find the value of n. [3]

View solution

© UCLES 2024

8 The line L is the normal to the curve $y = 3(5x+6)^{\frac{1}{2}}$ at the point where $x = 2$. The point $(-2, k)$, where k is a constant, lies on L. Find the exact value of k. [7]

View solution

9 In this question, all lengths are in metres, and time, t, is in seconds.

A particle P moves in a straight line such that, t seconds after leaving a fixed point O, its displacement, s, is given by $s = 4t - 4\cos 2t + 4$.

(a) Find the velocity, v, of P at time t. [2]

View solution

(b) On the axes, sketch the velocity–time graph for P for $0 \leqslant t \leqslant \pi$, stating the intercepts with the axes in exact form. [5]

View solution



(c) Find the acceleration of P at time t. [1]

View solution

(d) Find the times when the acceleration of P is zero for $0 \leqslant t \leqslant \pi$. Give your answers in terms of π. [2]

View solution

© UCLES 2024

10 **(a)** In an arithmetic progression, the first term is a and the common difference is d. The sum of the first three terms of this arithmetic progression is 42. The product of the first three terms of this arithmetic progression is -6720.

(i) Show that $a(a+2d) = -480$. [3]

View solution

(ii) Hence, given that a is positive, find the values of a and d. [4]

View solution

(b) In a geometric progression, the 3rd term is $\frac{e^{4x}}{4}$ and the 10th term is $\frac{e^{11x}}{512}$. Find the first term and the common ratio. [5]

View solution

11 Solve the following simultaneous equations, giving your answers in exact form.

View solution

$$8\log_3 x + 12\log_{81} y = 5$$

$$4\log_9 x + 3\log_3 y = 2$$

[6]

12 Solve the equation $\sec\left(3\theta - \frac{\pi}{2}\right) = 2$ for $-\frac{\pi}{2} \leqslant \theta \leqslant \frac{\pi}{2}$. Give your answers in exact form. [5]

View solution

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

© UCLES 2024