Cambridge IGCSE

Cambridge International Examinations
Cambridge International General Certificate of Secondary Education

CANDIDATE NAME									
CENTRE NUMBER						CANDIDATE NUMBER				

ADDITIONAL MATHEMATICS **0606/13**

Paper 1 **October/November 2016**

2 hours

Candidates answer on the Question Paper.

Additional Materials: Electronic calculator

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.
Write in dark blue or black pen.
You may use an HB pencil for any diagrams or graphs.
Do not use staples, paper clips, glue or correction fluid.
DO **NOT** WRITE IN ANY BARCODES.

Answer **all** the questions.
Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place in the case of angles in degrees, unless a different level of accuracy is specified in the question.
The use of an electronic calculator is expected, where appropriate.
You are reminded of the need for clear presentation in your answers.

At the end of the examination, fasten all your work securely together.
The number of marks is given in brackets [ ] at the end of each question or part question.
The total number of marks for this paper is 80.

This document consists of **15** printed pages and **1** blank page.

© UCLES 2016

CAMBRIDGE International Examinations

Mathematical Formulae

1. ALGEBRA

Quadratic Equation

For the equation $ax^2 + bx + c = 0$,

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Binomial Theorem

$$(a + b)^n = a^n + \binom{n}{1} a^{n-1}\, b + \binom{n}{2} a^{n-2}\, b^2 + \ldots + \binom{n}{r} a^{n-r}\, b^r + \ldots + b^n,$$

where n is a positive integer and $\binom{n}{r} = \frac{n!}{(n-r)!r!}$

2. TRIGONOMETRY

Identities

$$\sin^2 A + \cos^2 A = 1$$

$$\sec^2 A = 1 + \tan^2 A$$

$$\operatorname{cosec}^2 A = 1 + \cot^2 A$$

Formulae for ΔABC

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

$$\Delta = \frac{1}{2} bc \sin A$$

© UCLES 2016

1 On the axes below, sketch the graph of $y = |2\cos 3x|$ for $0 \leqslant x \leqslant 180°$. [3]

View solution



2 Express $\dfrac{4m\sqrt{m} - \dfrac{9}{\sqrt{m}}}{2\sqrt{m} + \dfrac{3}{\sqrt{m}}}$ in the form $Am + B$, where A and B are integers to be found. [3]

View solution

© UCLES 2016

3 **(i)** Given that $3x^2 + p(1 - 2x) = -3$, show that, for x to be real, $p^2 - 3p - 9 \geqslant 0$. [3]

View solution

(ii) Hence find the set of values of p for which x is real, expressing your answer in exact form. [3]

View solution

© UCLES 2016

4 **(i)** Find, in ascending powers of x, the first 3 terms in the expansion of $\left(2-\frac{x}{4}\right)^6$. [3]

View solution

(ii) Hence find the term independent of x in the expansion of $\left(4+\frac{2}{x}+\frac{3}{x^2}\right)\left(2-\frac{x}{4}\right)^6$. [3]

View solution

5 **(i)** Given that $\log_9 xy = \frac{5}{2}$, show that $\log_3 x + \log_3 y = 5$. [3]

View solution

(ii) Hence solve the equations

$$\log_9 xy = \frac{5}{2},$$

$$\log_3 x \times \log_3 y = -6.$$ [5]

View solution

6 **(i)** Find $\frac{\mathrm{d}}{\mathrm{d}x}(\ln(3x^2 - 11))$. [2]

View solution

(ii) Hence show that $\int \frac{x}{3x^2 - 11}\,\mathrm{d}x = p\ln(3x^2 - 11) + c$, where p is a constant to be found, and c is a constant of integration. [1]

View solution

(iii) Given that $\int_2^a \frac{x}{3x^2 - 11}\,\mathrm{d}x = \ln 2$, where $a > 2$, find the value of a. [4]

View solution

© UCLES 2016

7



The variables x and y are such that when $\ln y$ is plotted against $\frac{1}{x}$ the straight line graph shown above is obtained.

(i) Given that $y = Ae^{\frac{b}{x}}$, find the value of A and of b. [4]

View solution

(ii) Find the value of y when $x = 0.32$. [2]

View solution

(iii) Find the value of x when $y = 20$. [2]

View solution

8 **(a)** **(i)** Show that $\dfrac{\operatorname{cosec}\theta}{\operatorname{cosec}\theta - \sin\theta} = \sec^2\theta$. [3]

View solution

(ii) Hence solve $\dfrac{\operatorname{cosec}\theta}{\operatorname{cosec}\theta - \sin\theta} = 4$ for $0° < \theta < 360°$. [3]

View solution

© UCLES 2016

(b) Solve $\sqrt{3}\tan\left(x+\frac{\pi}{4}\right)=1$ for $0<x<2\pi$, giving your answers in terms of π. [3]

View solution

9 **(a)** A team of 5 students is to be chosen from a class of 10 boys and 8 girls. Find the number of different teams that may be chosen if

(i) there are no restrictions, [1]

View solution

(ii) the team must contain at least one boy and one girl. [4]

View solution

(b) A computer password, which must contain 6 characters, is to be chosen from the following 10 characters:

View solution

Symbols	?	!	*	
Numbers	3	5	7	
Letters	W	X	Y	Z

Each character may be used once only in any password. Find the number of possible passwords that may be chosen if

(i) there are no restrictions, [1]

(ii) each password must start with a letter and finish with a number, [2]

View solution

(iii) each password must contain at least one symbol. [3]

View solution

© UCLES 2016

10 A curve $y = \mathrm{f}(x)$ is such that $\mathrm{f}'(x) = 6x - 8\mathrm{e}^{2x}$.

(i) Given that the curve passes through the point $P\,(0, -3)$, find the equation of the curve. [5]

View solution

The normal to the curve $y = \mathrm{f}(x)$ at P meets the line $y = 2 - 3x$ at the point Q.

(ii) Find the area of the triangle OPQ, where O is the origin. [5]

View solution

11 A particle moving in a straight line has a velocity of v ms^{-1} such that, t s after leaving a fixed point, $v = 4t^2 - 8t + 3$.

(i) Find the acceleration of the particle when $t = 3$. [2]

View solution

(ii) Find the values of t for which the particle is momentarily at rest. [2]

View solution

(iii) Find the total distance the particle has travelled when $t = 1.5$. [5]

View solution

© UCLES 2016

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.