Cambridge Assessment International Education

Cambridge IGCSE™

CANDIDATE NAME									
CENTRE NUMBER						CANDIDATE NUMBER				

ADDITIONAL MATHEMATICS **0606/22**

Paper 2 **October/November 2020**

2 hours

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [ ].

© UCLES 2020

Mathematical Formulae

1. ALGEBRA

Quadratic Equation

For the equation $ax^2 + bx + c = 0$,

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Binomial Theorem

$$(a+b)^n = a^n + \binom{n}{1}a^{n-1}b + \binom{n}{2}a^{n-2}b^2 + \ldots + \binom{n}{r}a^{n-r}b^r + \ldots + b^n$$

where n is a positive integer and $\binom{n}{r} = \frac{n!}{(n-r)!r!}$

Arithmetic series $u_n = a + (n-1)d$

$$S_n = \frac{1}{2}n(a+l) = \frac{1}{2}n\{2a + (n-1)d\}$$

Geometric series $u_n = ar^{n-1}$

$$S_n = \frac{a(1-r^n)}{1-r} \quad (r \neq 1)$$

$$S_\infty = \frac{a}{1-r} \quad (|r| < 1)$$

2. TRIGONOMETRY

Identities

$$\sin^2 A + \cos^2 A = 1$$
$$\sec^2 A = 1 + \tan^2 A$$
$$\operatorname{cosec}^2 A = 1 + \cot^2 A$$

Formulae for ΔABC

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc\cos A$$

$$\Delta = \frac{1}{2}bc\sin A$$

© UCLES 2020

1 Solve the inequality $(x-8)(x-10) > 35$. [4]

View solution

2 Find the value of x such that $\dfrac{4^{x+1}}{2^{x-1}} = 32^{\frac{x}{3}} \times 8^{\frac{1}{3}}$. [4]

View solution

© UCLES 2020

3 **(a)** Find the equation of the perpendicular bisector of the line joining the points (12, 1) and (4, 3), giving your answer in the form $y = mx + c$. [5]

View solution

(b) The perpendicular bisector cuts the axes at points A and B. Find the length of AB. [3]

View solution

© UCLES 2020

4 Solve the simultaneous equations.

View solution

$$\log_3(x+y) = 2$$
$$2\log_3(x+1) = \log_3(y+2)$$

[6]

5 DO NOT USE A CALCULATOR IN THIS QUESTION.

(a) Find the equation of the tangent to the curve $y = x^3 - 6x^2 + 3x + 10$ at the point where $x = 1$. [4]

View solution

(b) Find the coordinates of the point where this tangent meets the curve again. [5]

View solution

6 Find the exact value of $\int_2^4 \frac{(x+1)^2}{x^2}\,\mathrm{d}x$. [6]

View solution

7 A geometric progression has a first term of 3 and a second term of 2.4. For this progression, find

(a) the sum of the first 8 terms, [3]

View solution

(b) the sum to infinity, [1]

View solution

(c) the least number of terms for which the sum is greater than 95% of the sum to infinity. [4]

View solution

8 DO NOT USE A CALCULATOR IN THIS QUESTION.

In this question lengths are in centimetres.



You may use the following trigonometric ratios.

$\sin 30° = \frac{1}{2}$

$\cos 30° = \frac{\sqrt{3}}{2}$

$\tan 30° = \frac{1}{\sqrt{3}}$

(a) Given that the area of the triangle ABC is $5.5\,\text{cm}^2$, find the exact length of AC. Write your answer in the form $a + b\sqrt{3}$, where a and b are integers. [4]

View solution

(b) Show that $BC^2 = c + d\sqrt{3}$, where c and d are integers to be found. [4]

View solution

9



In the diagram $\overrightarrow{OP} = 2\mathbf{b}$, $\overrightarrow{OS} = 3\mathbf{a}$, $\overrightarrow{SR} = \mathbf{b}$ and $\overrightarrow{PQ} = \mathbf{a}$. The lines OR and QS intersect at X.

(a) Find $\overrightarrow{OQ}$ in terms of **a** and **b**. [1]

View solution

(b) Find $\overrightarrow{QS}$ in terms of **a** and **b**. [1]

View solution

(c) Given that $\overrightarrow{QX} = \mu\overrightarrow{QS}$, find $\overrightarrow{OX}$ in terms of **a**, **b** and μ. [1]

View solution

(d) Given that $\overrightarrow{OX} = \lambda\overrightarrow{OR}$, find $\overrightarrow{OX}$ in terms of **a**, **b** and λ. [1]

View solution

© UCLES 2020

(e) Find the value of λ and of μ. [3]

View solution

(f) Find the value of $\frac{QX}{XS}$. [1]

View solution

(g) Find the value of $\frac{OR}{OX}$. [1]

View solution

10 The number, b, of bacteria in a sample is given by $b = P + Q\mathrm{e}^{2t}$, where P and Q are constants and t is time in weeks. Initially there are 500 bacteria which increase to 600 after 1 week.

(a) Find the value of P and of Q. [4]

View solution

(b) Find the number of bacteria present after 2 weeks. [1]

View solution

(c) Find the first week in which the number of bacteria is greater than 1 000 000. [3]

View solution

11 **(a)** Show that $\dfrac{\sin x \tan x}{1-\cos x} = 1 + \sec x$. [4]

View solution

(b) Solve the equation $5\tan x - 3\cot x = 2\sec x$ for $0° \leqslant x \leqslant 360°$. [6]

View solution

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.