Cambridge Assessment International Education

Cambridge IGCSE™

CANDIDATE NAME									
CENTRE NUMBER						CANDIDATE NUMBER			

CHEMISTRY **0620/53**

Paper 5 Practical Test **October/November 2020**

1 hour 15 minutes

You must answer on the question paper.

You will need: The materials and apparatus listed in the confidential instructions

INSTRUCTIONS
- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION
- The total mark for this paper is 40.
- The number of marks for each question or part question is shown in brackets [ ].
- Notes for use in qualitative analysis are provided in the question paper.

For Examiner's Use	
1	
2	
3	
Total	

This document has **12** pages. Blank pages are indicated.

IB20 11_0620_53/2RP
© UCLES 2020

1 You are going to investigate the reaction between dilute ethanoic acid and two different solutions of sodium hydroxide labelled solution **A** and solution **B**.

Read all of the instructions carefully before starting the experiments.

Instructions
You are going to do two experiments.

View solution

(a) *Experiment 1*

- Rinse the burette with solution **A**.
- Fill the burette with solution **A**. Run some of solution **A** out of the burette so that the level of solution **A** is on the burette scale.
- Use the measuring cylinder to pour 25 cm^3 of dilute ethanoic acid into the conical flask.
- Add five drops of thymolphthalein indicator to the conical flask.
- Record the initial burette reading in the table.
- Slowly add solution **A** from the burette to the conical flask, while swirling the flask, until the solution just changes colour.
- Record the final burette reading in the table and complete the table.

	Experiment 1
final burette reading / cm^3	
initial burette reading / cm^3	
volume of solution **A** added / cm^3	

Experiment 2

- Empty the conical flask and rinse it with distilled water.
- Empty the burette and rinse it with distilled water.
- Rinse the burette with solution **B**.
- Fill the burette with solution **B**. Run some of solution **B** out of the burette so that the level of solution **B** is on the burette scale.
- Use the measuring cylinder to pour 25 cm^3 of dilute ethanoic acid into the conical flask.
- Add five drops of thymolphthalein indicator to the conical flask.
- Record the initial burette reading in the table.
- Slowly add solution **B** from the burette to the conical flask, while swirling the flask, until the solution just changes colour.
- Record the final burette reading in the table and complete the table.

	Experiment 2
final burette reading / cm^3	
initial burette reading / cm^3	
volume of solution **B** added / cm^3	

[4]

© UCLES 2020

(b) State the colour change observed in the conical flask in Experiment 2.

from ..... to ..... [1]

View solution

(c) Explain why universal indicator is **not** a suitable indicator to use in this titration.

.....

..... [1]

View solution

(d) (i) State which solution of sodium hydroxide, solution **A** or solution **B**, is the more concentrated. Explain your answer.

.....

..... [1]

View solution

(ii) State how many times more concentrated this solution of sodium hydroxide is compared to the other solution of sodium hydroxide.

.....

..... [1]

View solution

(e) Determine the volume of solution **B** that would be required if Experiment 2 was repeated with 10 cm^3 of dilute ethanoic acid.

.....

..... [2]

View solution

(f) Describe how the reliability of the results could be checked.

.....

..... [1]

View solution

(g) A 25 cm^3 pipette can be used to measure the volume of a solution.

(i) Describe an advantage of using a 25 cm^3 pipette to measure the volume of the dilute ethanoic acid.

.....

..... [1]

View solution

(ii) Explain why a 25 cm^3 pipette could **not** be used to measure the volume of solution **A**.

.....

..... [1]

View solution

© UCLES 2020

(h) (i) Explain why the burette was rinsed with distilled water in Experiment 2.

View solution

.....

..... [1]

(ii) Explain why the burette was then rinsed with solution **B**.

View solution

.....

..... [1]

(iii) State the effect that **not** rinsing the burette with solution **B** would have on the final burette reading.
Explain your answer.

View solution

effect .....

explanation .....

.....

[2]

[Total: 17]

2 You are provided with two solids, solid **C** and solid **D**.
Do the following tests on solid **C** and solid **D**, recording all of your observations at each stage.

tests on solid C

(a) Describe the appearance of solid **C**.

View solution

..... [1]

(b) Place about half of solid **C** in a hard-glass test-tube. Heat the solid gently and then strongly. Record your observations.

View solution

.....

.....

.....

..... [3]

(c) Place the remaining half of solid **C** in a boiling tube. Add about 10 cm^3 of distilled water to the boiling tube. Stopper the boiling tube and shake it to dissolve solid **C** to form solution **C**.

View solution

Divide solution **C** into two approximately equal portions in two test-tubes.

(i) Add a few drops of universal indicator solution to the first portion of solution **C**.
Record your observations.

.....

..... [1]

(ii) Add a spatula measure of solid sodium hydrogencarbonate to the second portion of solution **C**.
Test any gas formed.
Record your observations.

View solution

.....

.....

.....

..... [3]

(d) What conclusions can you make about solid **C**?

View solution

.....

..... [2]

© UCLES 2020

tests on solid D

Add solid **D** to about 10 cm^3 of distilled water in a boiling tube. Stopper the boiling tube and shake it to dissolve solid **D** to form solution **D**.
Divide solution **D** into four approximately equal portions in four test-tubes.

(e) (i) Add a few drops of aqueous sodium hydroxide to the first portion of solution **D**.
Record your observations.

View solution

..... [1]

(ii) Now add an excess of aqueous sodium hydroxide to the mixture.
Record your observations.

View solution

..... [1]

(f) Add excess aqueous ammonia to the second portion of solution **D**.
Record your observations.

View solution

..... [1]

(g) Add about 1 cm depth of dilute nitric acid and a few drops of aqueous silver nitrate to the third portion of solution **D**.
Record your observations.

View solution

..... [1]

(h) Add about 1 cm depth of dilute nitric acid and a few drops of aqueous barium nitrate to the fourth portion of solution **D**.
Record your observations.

View solution

..... [1]

(i) Identify solid **D**.

View solution

..... [2]

[Total: 17]

© UCLES 2020

3 A toothpaste contains:

- sodium fluoride
- calcium carbonate
- silica
- mint flavouring.

View solution

Sodium fluoride and the mint flavouring are soluble in water.
Calcium carbonate and silica are insoluble in water.
Calcium carbonate reacts with dilute hydrochloric acid to form the soluble salt calcium chloride.

Plan an investigation to find the percentage by mass of silica in the toothpaste.

In your answer you should include how you will calculate the percentage by mass of silica in the toothpaste.

You have access to normal laboratory apparatus.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [6]

© UCLES 2020

BLANK PAGE

© UCLES 2020

BLANK PAGE

© UCLES 2020

BLANK PAGE

© UCLES 2020

Notes for use in qualitative analysis
Tests for anions

anion	test	test result
carbonate (CO_3^{2-})	add dilute acid	effervescence, carbon dioxide produced
chloride (Cl^-) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	white ppt.
bromide (Br^-) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	cream ppt.
iodide (I^-) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	yellow ppt.
nitrate (NO_3^-) [in solution]	add aqueous sodium hydroxide, then aluminium foil; warm carefully	ammonia produced
sulfate (SO_4^{2-}) [in solution]	acidify, then add aqueous barium nitrate	white ppt.
sulfite (SO_3^{2-})	add dilute hydrochloric acid, warm gently and test for the presence of sulfur dioxide	sulfur dioxide produced will turn acidified aqueous potassium manganate(VII) from purple to colourless

Tests for aqueous cations

cation	effect of aqueous sodium hydroxide	effect of aqueous ammonia
aluminium (Al^{3+})	white ppt., soluble in excess, giving a colourless solution	white ppt., insoluble in excess
ammonium (NH_4^+)	ammonia produced on warming	–
calcium (Ca^{2+})	white ppt., insoluble in excess	no ppt., or very slight white ppt.
chromium(III) (Cr^{3+})	green ppt., soluble in excess	grey-green ppt., insoluble in excess
copper(II) (Cu^{2+})	light blue ppt., insoluble in excess	light blue ppt., soluble in excess, giving a dark blue solution
iron(II) (Fe^{2+})	green ppt., insoluble in excess	green ppt., insoluble in excess
iron(III) (Fe^{3+})	red-brown ppt., insoluble in excess	red-brown ppt., insoluble in excess
zinc (Zn^{2+})	white ppt., soluble in excess, giving a colourless solution	white ppt., soluble in excess, giving a colourless solution

© UCLES 2020

Tests for gases

gas	test and test result
ammonia (NH_3)	turns damp red litmus paper blue
carbon dioxide (CO_2)	turns limewater milky
chlorine (Cl_2)	bleaches damp litmus paper
hydrogen (H_2)	'pops' with a lighted splint
oxygen (O_2)	relights a glowing splint
sulfur dioxide (SO_2)	turns acidified aqueous potassium manganate(VII) from purple to colourless

Flame tests for metal ions

metal ion	flame colour
lithium (Li^+)	red
sodium (Na^+)	yellow
potassium (K^+)	lilac
copper(II) (Cu^{2+})	blue-green

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.